SPECIAL WASTE PROFILE FORM



Materials Management Facility

23400 NYS Rt. 177, Rodman, NY 13682 Phone: (315)661-3230 Fax (315)661-3231 DEC Permit # 6-2252-00006/00007

Directions:

- 1. This facility <u>is not</u> permitted to accept regulated hazardous waste. This application is designed to ensure that the Authority maintains compliance with its operating permits.
- 2. Complete the Special Waste Profile Form in its entirety, and provide any required
 - analytical results of samples with your submission.
 - a. Refer to Special Waste Analytical Testing Requirements for more information.
 - b. Complete and sign the Sampler's and Generator's Certification.
- 3. If the project includes materials from a large institutional or industrial property a pre-application discussion is recommended. Email swmfspecialwaste@danc.org to arrange a phone call.
- 4. Email completed profile to swmfspecialwaste@danc.org
 - a. All future correspondence on the request must be addressed to swmfspecialwaste@danc.org.
 - b. Please allow 5 business days for application processing.
 - c. A 10 day notification is required for volumes greater than 100 tons per day.

1.0 ORIGIN OF WASTE

Business / Property Owner's Name:			
Address*:	City:	State:	Zip:
County:	Phone:	Fax:	
Contact Person:	Title:	Email:	
EPA ID# (if applicable):	State ID# (if applicable):		
Site Description: \Box Residential \Box Commercial \Box I	Institutional 🗆 Industrial 🗆	Other:	

*A physical address is required. Post office boxes are not acceptable.

2.0 GENERATOR INFORMATION

Check if Same as Above

Business / Property Owner's Name:			
Address:	City:	State:	Zip:
County:	Phone:	Fax:	
Contact Person:	Title:	Email:	
EPA ID# (if applicable):	State ID# (if applicable):		

3.0 BILLING INFORMATION – Please note the entity that will be invoiced for the waste received. This entity will be responsible for payment. Please use the 8-character Development Authority Account ID specific to the account – all account IDs are available on our website, and can be verified through the company selected below. If the waste is generated in Lewis County, the Authority will invoice the County and they will invoice the company noted below.

Account ID Weblink:

https://www.danc.org/media/Operations/Materials%20Management/LandfillPermits/Hauler Account ID. pdf

4.0 COMMUNITY IMPROVEMENT PROJECTS: Is there a Community Improvement Project (CIP) reduced tip fee associated with this project?
Yes
No

Information/ application regarding CIP:

https://www.danc.org/media/Operations/Materials%20Management/LandFillPermits/Application_for_R educed_Tip_Fee.pdf

5.0 BILLING INFORMATION (Primary Hauler typically billed) – must have current DANC permit

Company Name:	Authority Billing	Account II):	
Mailing Address:	City:		State:	Zip:
Contact Person:	Phone:		Fax:	
PO # for billing, if applicable:		Email:		

6.0 AUTHORIZED HAULER (PRIMARY) – must have current DANC permit

Company Name:			
Address:	City:	State:	Zip:
Contact Person:	Title:		
Email:	Phone:	Fax:	
NYS DEC Waste Transporter Permit #:	Authority Hauler Account II	D:	

7.0 AUTHORIZED HAULER (SECONDARY) – must have current DANC permit

Company Name:			
Address:	City:	State:	Zip:
Contact Person:	Title:		
Email:	Phone:	Fax:	
NYS DEC Waste Transporter Permit #:	Authority Hauler Account I	D:	

8.0 WASTE CHARACTERIZATION

Name of Waste Profile (Job Name):	Anticipated Delivery Date(s):
Type of Waste: (soil, sludge, process w	aste, etc.) Estimated Amount in Tons:
□Soil	Daily Ton Total Ton
□Sludge	Daily Ton Total Ton
□ Industrial waste	Daily Ton Total Ton
□Asbestos Friable bagged	Daily Ton Total Ton
□Asbestos Friable Bulk ACM	Daily Ton Total Ton
□ Asbestos Non-Friable Bulk ACM	Daily Ton Total Ton
□ C&D	Daily Ton Total Ton
□Other	
Project Duration:	Maximum Daily Amount in Tons:
\Box One Time Project \Box Ongoin	ng Disposal
If ongoing: \Box First time application \Box	Renewal
If Renewal: Waste Class: Profile	e #:
Is There A Chemical Odor?	Was the Waste Stored:
\Box None \Box Mild \Box Strong	\Box Above Grade \Box Containerized \Box Below Grade and Excavated

A) WASTE DESCRIPTION DETAILS

Please provide a detailed description of the process which generated the waste:

B) WASTE GENERATION INFORMATION

- 1. Was the waste generated from food production? \Box Yes \Box No
- Is your facility a designated New York State Food Scrap generator? (<u>https://www.dec.ny.gov/docs/materials_minerals_pdf/dfsglist2024.pdf</u>)

 \Box Yes, my generator code is: _____ \Box No

- 3. Are you required to recycle food waste? \Box Yes \Box No
- 4. Have you obtained an exemption waiver from NYS DEC? \Box Yes (Attach a copy) \Box No

C) WASTE MATERIAL INFORMATION

1. Does the waste contain building materials, or is it classified as Construction and Demolition Waste (C&D)? C&D debris is uncontaminated solid waste resulting from the construction, remodeling, repair and demolition of utilities, structures and roads; and uncontaminated solid waste resulting from land clearing.

🗆 Yes

□ No, proceed to next section

2. Was the building constructed before 1978?

🗆 Yes

□ No, *proceed to next section*

3. Is building condemned or are there other conditions present that would make an asbestos survey unsafe to perform?

□ Yes, attach a copy of the NYS Department of Labor (NYSDOL) site-specific or Applicable Variance issued for the controlled asbestos demolition of the structure *and proceed to Question 7*.

*Note that if relying on the NYSDOL Applicable Variance A-1 (AV-A-1) for municipally owned properties, a copy of AV-A-1 is not necessary. Please provide a signed copy of the Condemnation Letter from the local authority.

🗆 No

4. New York State Labor Law (Article 10, Sect. 241.10) requires a survey to identify asbestos prior to commencing any interior or exterior demolition, renovation, remodeling, or repair work on all buildings unless a NYSDOL variance is issued indicating an exemption of survey.

 \Box Attach a copy of survey completed by a NYSDOL- Licensed Asbestos Inspector.

5. Was asbestos detected?

🗆 Yes

□ No, proceed to Question 7

- 6. Check the materials identified from the asbestos survey:
 - □ Friable, will be bagged for disposal
 - \Box Friable, will be disposed of as bulk asbestos contaminated material
 - □ Non-Friable asbestos, will be disposed of as bulk asbestos contaminated materials
 - □ Provide NYSDOL Project Notification Number ____

Asbestos receiving hours end at 2:00PM. Loads must be scheduled 24 hours in advance. Approved materials must be received in accordance with all regulations. A completed multi-part manifest is required for each load.

Bulk asbestos rates apply only when a structure that has been destroyed by fire or has been deemed unsafe for entry (such that an asbestos survey and / or asbestos abatement cannot be performed) and the material resulting from the demolition of that structure is required to be handled as friable asbestos.

7. The Toxic Substances Control Act (40 CFR Part 745) details the sampling requirements for Lead-Based Paints. A representative TCLP sample is required. If a NYSDOL Variance for controlled demolition was issued, then TCLP analysis may be performed by obtaining representative sample(s) from the debris pile. The Authority cannot approve the special waste application until the TCLP analysis is complete.

 $\hfill\square$ TCLP analysis complete and Laboratory Report attached

- 8. Was Lead-Based Paint identified in the report?
 - Yes, identify highest level detected _____
 - 🗆 No

D) WASTE GERNERATION INFORMATION

1. Was waste generated from a leak or spill greater than 5 gallons? □ Yes □ No, <u>Proceed to next</u> <u>Section</u>

Released volume in gallons:	DEC Spill #:	🗆 N/A
□Type of Contamination:		
Gasoline		
Fuel Oil		
Diesel		
□Kerosene		
□Waste Oil		
Unknown		
□Other		

3. Tax Parcel Identification Number(s) associated with the spill: ______

4. Is it a Virgin Fuel Spill (fuel that has not been used or mixed with other chemicals)? \Box Yes \Box No

E) NYSDEC INFORMATION

- Has a letter from the NYSDEC been attached deeming the waste "non-hazardous"?
 □ Yes, *Proceed to next section* □ No (Analytical Testing is required).
- Was this site ever suspected of having hazardous materials?
 □ Yes □ No, *Proceed to next section*
- 3. What was the source of the hazardous materials?
- 4. Which compounds were suspected?
- 5. Has testing been performed to quantify these compounds?
 □ Yes (Provide copies of analysis and of sampling and analysis plan.) □ No

- 6. What conclusions were made regarding lab data (attach additional detail if necessary)?
- 7. Is the site a registered Superfund Site?
 Yes, registration #:
 No
- 8. Does the location create hazardous waste not included in this waste?
 Yes No, <u>Proceed to</u> <u>next section</u>
- 9. Are controls established to maintain separate waste streams?
 Yes
 No (Attach a detailed explanation)
- 10. Does the waste include potentially contaminated soil? \Box Yes \Box No

7.0 CERTIFICATION OF REPRESENTATIVE SAMPLING

Generator's Name:				
Waste Description:				
Sample Date:		Time Sampled:		
Laboratory Name:				
Address:	Cit	iy:	State:	Zip:
Contact Person:	Tit	le:		
Email:	Ph	one:	Fax:	

Refer to the Special Waste Analytical Requirements on the following pages for information about the laboratory tests required for waste acceptance. All laboratory instructions for sample collection, submittal, and chain of custody documentation must be followed. Samples submitted for laboratory analysis must be collected from, and be fully representative of, the waste described within this application for disposal. No testing is required for food waste which does not include wastewater treatment sludge or liquid process waste.

The Authority reserves the right to modify sampling quantities and requirements as required to ensure permit compliance.

1-500 Tons	One (1) Sample Required
>500 Tons and ≤1000Tons	Two (2) Samples Required
>1000 Tons and ≤1500	Three (3) Samples Required
>1500 and ≤2000 Tons	Four (4) Samples Required
>2000 Tons	To Be Determined By the Authority

A) SAMPLER'S CERTIFICATION

I hereby certify that I personally collected a representative sample of the waste stream at the location, date, and time as listed above.

Name:	Date:
(Please print)	
Signature:	
Company:	
Generator Witness:	

B) Generator's Certification

The Generator is hereby defined as the responsible individual or representative for the firm, company, agency, corporation, partnership, association, municipality, commission, political subdivision, or other entity who produced the waste described within this application. The Generator must review and affirm each statement by checking the corresponding box and sign below before the Authority will consider their application for disposal.

 \Box I certify that the information submitted to the Authority in this application constitutes an accurate and complete representation of the waste profile.

 \Box I give permission for the Authority to contact the laboratory who performed the waste analysis directly, and ask questions in reference to this waste stream.

 \Box I certify that neither the waste described in this application, nor the components and residues of the generation process could be considered hazardous waste(s).

 \Box Authority review is required upon discovery of additional substances, or changing the waste handling methods, as it could introduce unforeseen hazardous materials into the waste stream. In such an event, I agree to notify the Authority in writing within 24 hours, and shall withhold further shipments until receiving guidance.

 \Box I understand that the Authority reserves the right for a representative to visit the site of generation at any time, and to sample the waste material at its own expense. I hereby provide authorization for inspections and sampling.

 \Box I agree to indemnify, defend, and hold harmless the Authority, its employees, affiliates, successors and assigns from and against any and all losses, liabilities, damages, claims, fines, causes of action deficiencies, costs and expenses (including reasonable attorneys' fees and other litigation expenses) based upon, arising out of or otherwise related to the disposal of this waste stream.

 \Box I agree to all the conditions set forth by the Development Authority of the North Country in this document.

Name:		Signatu	ire:
	(Print)		
Title:		Date:	

SPECIAL WASTE ANALYTICAL REQUIREMENTS

The following testing guidance has been prepared to provide requirements for specific special wastes. Please consult with Authority Staff if you have any questions about the testing requirements.

CONTAMINATED SOILS & SEDIMENTS

Testing Requirements	Acceptable Level		
TCLP Lead	Refer to Acceptance Limits		
TCLP Volatiles	Refer to Acceptance Limits		
Paint Filter	Not Present		
Ignitability of Solids	<2.2 mm/sec		
TCLP Semi-Volatiles	Refer to Acceptance Limits		
Paint Filter	Not Present		
Ignitability of Solids	<2.2 mm/sec		
TCLP Metals	Refer to Acceptance Limits		
TCLP Volatiles	Refer to Acceptance Limits		
TCLP Semi-Volatiles	Refer to Acceptance Limits		
Total PCBs	<50 ppm 5ppm dL ¹		
Reactivity	Cyanide <250 ppm		
-	Sulfide < 500 ppm		
Paint Filter	Not Present		
Ignitability of Solids	<2.2 mm/sec		
Corrosivity	pH >2 and < 12.5		
Total PCBs	<50 ppm 5ppm dL ¹		
Paint Filter	Not Present		
Ignitability of Solids	<2.2 mm/sec		
TCLP Metals	Refer to Acceptance Limits		
TCLP Volatiles	Refer to Acceptance Limits		
TCLP Semi-Volatiles	Refer to Acceptance Limits		
TCLP Herbicides ⁴	Refer to Acceptance Limits		
TCLP Pesticides ⁴	Refer to Acceptance Limits		
Total PCBs	<50 ppm $\frac{1}{5}$ ppm dL ¹		
Reactivity	Cyanide <250 ppm		
-	Sulfide < 500 ppm		
Paint Filter	Not Present		
Ignitability of Solids	<2.2 mm/sec		
Corrosivity	pH > 2 and < 12.5		
	TCLP Volatiles Paint Filter Ignitability of SolidsTCLP Semi-Volatiles Paint Filter Ignitability of SolidsTCLP Metals TCLP Volatiles TCLP Volatiles TCLP Semi-Volatiles Total PCBs ReactivityPaint Filter Ignitability of Solids CorrosivityTotal PCBs Paint Filter Ignitability of Solids CorrosivityTotal PCBs Paint Filter Ignitability of Solids TCLP Metals TCLP Metals TCLP Metals TCLP Metals TCLP Metals TCLP Pesticides4 TCLP Herbicides4 TCLP Pesticides4 TOTAI PCBs ReactivityPaint Filter Ignitability of Solids		

OTHER CONTAMINATED MATERIALS

Waste Product	Testing Requirements	Acceptable Level
	TCLP Metals	Refer to Acceptance Limits
	TCLP Volatiles	Refer to Acceptance Limits
	TCLP Semi-Volatiles	Refer to Acceptance Limits
	TCLP Herbicides ³	Refer to Acceptance Limits
	TCLP Pesticides ³	Refer to Acceptance Limits
Coal Tar Contaminated Material	Total PCBs	<50 ppm 5ppm dL ¹
	Reactivity	Cyanide <250 ppm
		Sulfide< 500 ppm
	Paint Filter Ignitability	Not Present
	of Solids	<2.2 mm/sec
	Corrosivity	pH >2 and < 12.5
PCB Impacted Material	Total PCBs	<50 ppm 5ppm dL ¹

SLUDGES & RELATED WASTES

Waste Product	Testing Requirements	Acceptable Level
	TCLP Metals	Refer to Acceptance Limits
	TCLP Volatiles	Refer to Acceptance Limits
Grit, Screenings, or Sludge ² from	Total PCBs	$<$ 50 ppm $\overline{5}$ ppm dL ¹
Industrial Wastewater Treatment	Reactivity	Cyanide <250 ppm
muusinai wastewater Treatment	-	Sulfide < 500 ppm
	Paint Filter	Not Present
	Corrosivity	pH >2 and < 12.5
	Percent Solids	Minimum 20%
Grit, Screenings, Filter Sand, or	Paint Filter	No free liquid
Sludge ² from Publicly Operated	Percent Solids	Minimum 20%
Treatment Works	Corrosivity	pH >2 and < 12.5
	TCLP Metals	Refer to Acceptance Limits
	TCLP Volatiles	Refer to Acceptance Limits
	TCLP Semi-Volatiles	Refer to Acceptance Limits
	Total PCBs	$<50 \text{ ppm 5ppm dL}^1$
Petroleum Derived Sludge;	Reactivity	Cyanide <250 ppm
Other Industrial Sludge ²	Reactivity	Sulfide < 500 ppm
_	Paint Filter Ignitability	Not Present
	of Solids	<2.2 mm/sec
	Corrosivity	pH > 2 and < 12.5
	Percent Solids	Minimum 20%
	TCLP Metals	Refer Acceptance Limits
	Total PCBs	<50 ppm 5ppm dL ¹
	Reactivity	Cyanide <250 ppm
Paper Sludge ²	J.	Sulfide <500 ppm
	Paint Filter	Not Present
	Corrosivity	pH >2 and < 12.5
	Percent Solids	Minimum 20%
Food Processing Sludge	Paint Filter	Not Present
	Percent Solids	Minimum 20%

COMBUSTION RESIDUE

Waste Product	Testing Requirements	Acceptable Level
Coal Ash (Bottom & Fly Ash)	No Testing Required	N/A
		Refer to Acceptance Limits Not Present
Refractory Material (brick, flue lining, etc.)	Not required if fuel source is fossil fuel based.	
Refractory Material (brick, flue lining, etc.)	TCLP Metals, if fuel source is waste oil or if furnace is associated with an industrial process.	Refer to Acceptance Limits

METALLURGICAL PROCESS RESIDUES

Waste Product	Testing Requirements	Acceptable Level
	TCLP Metals	Refer to Acceptance Limits
	Total Phenols	< 10 ppm
	Paint Filter Liquids Test	Not Present
Foundry Sand	TCLP Volatiles	Refer to Acceptance Limits
	TCLP Semi-Volatiles,	Refer to Acceptance Limits
	If coolants or solvents are used in	_
	the process	
	TCLP Metals	Refer to Acceptance Limits
	Reactivity	Cyanide <250 ppm
		Sulfide < 500 ppm
	Paint Filter	Not Present
Grindings / Shavings	TCLP Volatiles	Refer to Acceptance Limits
	TCLP Semi-Volatiles,	Refer to Acceptance Limits
	If coolants or solvents are used in	_
	the process	
Sandblast Sand & Residue	TCLP Metals	Refer to Acceptance Limits
Sanuolasi Sanu & Residue	Paint Filter	Not Present

FOOD WASTE

No testing is required for food waste which does not include wastewater treatment sludge or liquid process waste.

MISCELLANEOUS

Waste Product	Testing Requirements	Acceptable Level
C&D from buildings built before 1978	TCLP Lead Asbestos Survey Hazardous Materials Survey	Refer to Acceptance Limits Provide with Profile Provide with Profile
C&D from buildings built after 1978	Asbestos Survey Hazardous Materials Survey	Provide with Profile Provide with Profile

	TCLP Metals	Refer to Acceptance Limits	
	TCLP Volatiles	Refer to Acceptance Limits	
	TCLP Semi-Volatiles	Refer to Acceptance Limits	
Air Emission Control Media	Reactivity	Cyanide <250 ppm	
All Ellission Control Media		Sulfide < 500 ppm	
	Paint Filter	Not Present	
	Ignitability of Solids	<2.2 mm/sec	
	Corrosivity	pH >2 and < 12.5	
Railroad Ties & Creosote Treated	TCLP Semi-Volatiles	Refer to Acceptance Limits	
Wood	Total PCBs	$<50 \text{ ppm } \overline{5}\text{ppm } dL^1$	
	TCLP Metals	Refer to Acceptance Limits	
	TCLP Volatiles	Refer to Acceptance Limits	
	TCLP Semi-Volatiles	Refer to Acceptance Limits	
Auto Shredder Waste, Auto Fluff ⁴	Total PCBs	$<$ 50 ppm $\overline{5}$ ppm dL ¹	
Auto Silleddel Waste, Auto Fluit	Reactivity	Cyanide <250 ppm	
		Sulfide < 500 ppm	
	Ignitability of Solids	<2.2 mm/sec	
	Corrosivity	pH >2 and < 12.5	
Lead Contaminated Material	TCLP Lead Refer to Acceptance Limits		
Treated Regulated Medical Waste	A regulated medical waste treatment certificate must be completed.		
	No testing is required. A statement regarding the product the tank held and		
Clean Empty Tanks	how it was cleaned is required (i.e., tank closure report). Both ends need to		
	be cut off the tanks and it must be crushed.		

ADDITIONAL INFORMATION & FOOTNOTES

- 1. The Authority will evaluate PCB contaminated waste on a case-by-case basis. In no case will PCB waste be accepted above 50 ppm.
- 2. Analyses listed for sludges need to be repeated on an annual basis. Analyses must be repeated for Industrial and Paper sludges if the process changes anytime during the year.
- 3. Herbicides & Pesticides testing may be waived upon request. To enable the staff to waive the testing for pesticides or herbicides, a letter from the generator stating that pesticides and herbicides were never used or stored in the area of excavation or during the process is required.
- 4. Consult with Authority personnel to determine actual sampling requirements for Auto shredder waste. Parameters listed may be expounded upon, and multiple composite samples required.
- 5. Analyses within 70% of the MCL levels may be subject to re-sampling.
- 6. Analytical testing will not be required for virgin fuel spills at residences if the profile form is accompanied with a letter from the NYSDEC. The letter shall state, based on their knowledge, the waste will not exhibit characteristics of hazardous waste and is therefore deemed non-hazardous.
- 7. Total Constituent Analysis may be accepted upon prior approval in lieu of TCLP Analysis under the following conditions. If the waste is 100% solid (no filterable liquid) the results of total constituent analysis shall be converted and reported as maximum leachable concentration (mg/L). If the waste has filterable liquid then the concentration of the analyte in each phase (liquid and solid) must be determined, converted and reported as the maximum theoretical concentration in leachate (mg/L). See USEPA website for more information: https://www.epa.gov/hw-sw846/sw-846-test-method-1311-toxicity-characteristic-leaching-procedure

SPECIAL WASTE ACCEPTANCE LIMITS

EPA Testing Protocols (Reference SW-846)			
Corrosivity as pH	EPA $9045D = pH > 2$ and $pH < 12.5$		
Ignitability	Solid Phase = SW-846 Method 1030 – Limit <2.2 mm/sec		
Reactivity	See 40 CFR 261.23 for characteristic of reactivity. It is the responsibility of the generator and their analytical laboratory to evaluate the waste for the reactivity characteristic, as EPA no longer specifies a procedure for this evaluation. Cyanide Guidance Value <250 ppm		
Paint Filter Liquids Test	EPA Method 9095B; Liquid collection after 5 minutes = Not Present or "Pass"		
Total PCBs	EPA Method 8082A with Detection Level of 5 ppm; not to exceed 50 ppm		
TCLP Metals	EPA Method 1311		
TCLP Volatiles	EPA Method 1311		
TCLP Semi-Volatiles	EPA Method 1311		
TCLP Herbicides	EPA Method 1311		
TCLP Pesticides	EPA Method 1311		

TCLP M	etals	TCLP Volatiles			TCLP Semi-Volatiles	
Parameter	Limit	Parameter Limit			Parameter	Limit
Arsenic	5 mg/l	Benzene	0.5 mg/l		o-Cresol	200 mg/l
Barium	100 mg/l	Carbon Tetrachloride	0.5 mg/l		m-Cresol	200 mg/l
Cadmium	1 mg/l	Chlorobenzene	100 mg/l		p-Cresol	200 mg/l
Chromium	5 mg/l	Chloroform	6 mg/l		Cresol	200 mg/l
Lead	5 mg/l	1,4-Dichlorobenzene	7.5 mg/l		1,4-Dichlorobenzene	7.5 mg/l
Mercury	0.2 mg/l	1,2-Dichloroethane	0.5 mg/l		2,4-Dinitrotoluene	0.13 mg/l
Selenium	1 mg/l	1,1-Dichloroethylene	0.7 mg/l		Hexachlorobenzene	0.13 mg/l
Silver	5 mg/l	Methyl ethyl ketone	200 mg/l		Hexachlorobutadiene	0.5 mg/l
		Tetrachloroethylene	0.7 mg/l		Hexachloroethane	3 mg/l
		Trichloroethylene	0.5 mg/l		Nitrobenzene	2 mg/l
		Vinyl chloride	0.2 mg/l		Pentachlorophenol	100 mg/l
					2,4-5 Trichlorophenol	400 mg/l
					2,4,6-Trichlorophenol	2 mg/l
					Pyridine	5 mg/l

TCLP Pesticides			
Parameter	Limit		
Endrin	0.02 mg/l		
Chlordane	0.03 mg/l		
Heptachlor (and its epoxide)	0.008 mg/l		
Lindane	0.4 mg/l		
Methoxychlor	10 mg/l		
Toxaphene	0.5 mg/l		

TCLP Herbicides		
Parameter	Limit	
2,4-D	10 mg/l	
2,4,5-TP (Silvex)	1 mg/l	

SPECIAL WASTE ACCEPTANCE AGREEMENT

(To be completed by the Authority)



Materials Management Facility 23400 NYS Rt. 177 Rodman, NY 13682 Phone: (315)661-3230 Fax: (315)661-3231 DEC Permit # 6-2252-00006/00007

The Development Authority of the North Country agrees to accept the following under the terms specified below:

Date:	Authority Profile #:			Material Type:	
Property Name/Job Name:		Property Address:			
Originating County of W □ Jefferson□ Lewis□		Project Duration: □ One Time Project □ Ongoing Disposal		Former Profile # (for ongoing project):	
Disposal Fees Billed to:		Primary Hauler:		Secondary Hauler:	
Approved Amount (Tons Daily Limit: Total Tonnage:	_	Analytical Expiration: □No Analytical Required □1 year from analysis		This Agreement Expires On:	
Remarks, Special Conditions, or Billing Notes for Lewis County:					

*Current CY Authority Rate/Ton: \$	**County Surcharge/Ton: \$	<pre>***Current CY Total Fee/Ton: \$</pre>
*CY Authority Rate/Ton	**County Surcharge/Ton: \$	*** CY Total Fee/Ton Effective
Effective January 1: \$		January 1: \$
County Authorization (Sign & Date):		Waste Class:
Tip Fees Payable To:		
□ Development Authority of the North Country, 317 Washington Street, Suite 414, NY, 13601		
□ Lewis County Solid Waste, 7660 North State Street, Lowville, NY 13367		
Authorized Authority Signature		Date

* One-Ton Minimum applies to bagged Friable material.

** Surcharge and Authorization for Lewis County only. Surcharges invoiced directly from Jefferson and St. Lawrence Counties, if applicable.

***Tip fees are subject to change January 1st each year.

The Development Authority of the North Country Reserves the right to inspect the project site and sample, at its own expense, any material subject to disposal.

Please provide 24 hour notice of delivery prior to scale arrival.